

## INDEX

- Afibrinogenaemia, congenital, 101; congenital hypofibrinogenaemia, 106; comparison of congenital afibrinogenaemia and congenital hypofibrinogenaemia, 106.
- Amino-acids, sulphur-containing, treatment of post-arsphenamine jaundice with, 35.
- Anaemia associated with unidentified erythrocytic inclusions, after splenectomy, 75; study of the inclusion bodies, 86.
- Benign hypertension, renal function and prognosis in, 171.
- Bicarbonate, plasma-, low, nephrocalcinosis associated with hyperchloraemia and, 113.
- Blood, nicotinic acid content of, in health and disease, 197.
- Congenital afibrinogenaemia, 101; congenital hypofibrinogenaemia, 106; comparison of congenital afibrinogenaemia and congenital hypofibrinogenaemia, 106.
- Epidemiology of infective hepatitis in some units of the British Army in Sicily and Great Britain, 1943-4, 125; monthly incidence in large formations, 127; weekly incidence in large formations, 128; intervals between successive cases, 130; monthly incidence in battalions and regiments, 132; immunity and variations in incidence, 133; higher attack rate in officers than in other ranks, 137; higher incidence in troops in the Mediterranean area, 137; factors responsible for a high incidence, 138; factors increasing susceptibility, 140; method of spread of infection, 143.
- Erythrocytic inclusions, unidentified, anaemia associated with, after splenectomy, 75; study of the inclusion bodies, 86.
- Genetic linkage in man, with particular reference to the usefulness of very small bodies of data, 27; consequences of genetic linkage, 28; examination of Penfold and Lipscomb's pedigree, 29.
- Goitre, exophthalmic, hereditary and familial aspects of, 207; factors in the familial occurrence of, 216; inherited liability to, 218.
- Goitre, nodular, hereditary and familial aspects of, 207; factors in the familial occurrences of, 214.
- Hepatitis, infective, epidemiology of, in some units of the British Army in Sicily and Great Britain, 1943-4, 125; monthly incidence in large formations, 127; weekly incidence in large formations, 128; intervals between successive cases, 130; monthly incidence in battalions and regiments, 132; immunity and variations in incidence, 133; higher attack rate in officers than in other ranks, 137; higher incidence in troops in the Mediterranean area, 137; factors responsible for a high incidence, 138; factors increasing susceptibility, 140; method of spread of infection, 143.
- Hereditary and familial aspects of exophthalmic goitre and nodular goitre, 207; factors in the familial occurrences of nodular goitre, 214; factors in the familial occurrences of exophthalmic goitre, 216; inherited liability to exophthalmic goitre, 218.
- Hyperchloraemia, nephrocalcinosis associated with, and low plasma-bicarbonate, 113.
- Hypertension, benign, renal function and prognosis in, 171.
- Hypofibrinogenaemia, congenital, 106; comparison of congenital afibrinogenaemia, and, 106.
- Jaundice, post-arsphenamine, treatment of, with sulphur-containing amino-acids, 35.
- Malta, poliomyelitis epidemic in, 1942-3, 1.
- Man, genetic linkage in, with particular reference to the usefulness of very

small bodies of data, 27; consequences of genetic linkage, 28; examination of Penfold and Lipscomb's pedigree, 29.

Nephrocalcinosis associated with hyperchloraemia and low plasma-bicarbonate, 113.

Nicotinic acid content of blood in health and disease, 197.

Osteoporosis, spinal, of unknown origin, 147.

Penfold and Lipscomb's pedigree, examination of, 29.

Penicillin in infective conditions of the skin, therapeutic trial of, 183.

Plasma-bicarbonate, low, nephrocalcinosis associated with hyperchloraemia and, 113.

Poliomyelitis epidemic in Malta, 1942-3, 1.

Proceedings of the Association of Physicians of Great Britain and Ireland, 1945: Thirty-ninth Annual General Meeting, 221.

Psychogenic basis of some so-called rheumatic pains, 57.

Renal function and prognosis in benign hypertension, 171.

Rheumatic pains, so-called, psychogenic basis of some, 57.

Sicily, epidemiology of infective hepatitis in some units of the British Army in Sicily and Great Britain, 1943-4, 125.

Skin, infective conditions of, therapeutic trial of penicillin in, 183.

Spinal osteoporosis of unknown origin, 147.

Splenectomy, anaemia associated with unidentified erythrocytic inclusions after, 75.

Sulphur-containing amino-acids, treatment of post-arsphenamine jaundice with, 35.

Therapeutic trial of penicillin in infective conditions of the skin, 183.

Treatment of post-arsphenamine jaundice with sulphur-containing amino-acids, 35.

